


ANALYTICAL REPORT

5F-EDMB-PICA (C22H31FN2O3)

ethyl 2-[[1-(5-fluoropentyl)indol-3-yl]formamido]-3,3-dimethylbutanoate; ethyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate; ethyl 2-[[1-(5-fluoropentyl)indole-3-carbonyl]amino]-3,3-dimethylbutanoate;

Remark – other NPS detected: 5F-MDMB-PICA (traces)

Sample ID:	2191-20
Sample description:	powder
Sample type:	test purchase /ISF projekt (NFL-SI)
Date of entry (DD/MM/YYYY) into NFL database:	16/09/2020
Report updates (if any) will be published here:	http://www.policija.si/apps/nfl_response_web/seznam.php

Substance identified - structure ¹ (base form)	
Systematic name	ethyl 2-[[1-(5-fluoropentyl)indol-3-yl]formamido]-3,3-dimethylbutanoate; ethyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate; ethyl 2-[[1-(5-fluoropentyl)indole-3-carbonyl]amino]-3,3-dimethylbutanoate;
Other names	5-fluoro EDMB-2201, EDMB-5F-PICA, 5F-EDMB-2001
Formula (per base form)	C22H31FN2O3
M _w (g/mol)	390,5
Salt form/anions detected	base
StdInChIKey (per base form)	RNWBJOYFGGMRJ-UHFFFAOYSA-N
Other NPS detected	5F-MDMB-PICA (traces)
Additional info (purity..)	>98 % based on 1H NMR spectrum

¹ Created by OPSIN free tool: <http://opsin.ch.cam.ac.uk/> DOI: 10.1021/ci100384d

Report updates

date	comments (explanation)

Instrumental methods (if applied) in NFL

1. GC-MS (Agilent): GC-method is RT locked to tetracosane (9.258 min). Injection volume 1 µl and split mode (1:50). Injector temperature: 280 °C. Chromatographic separation: on column HP1-MS (100% dimethylpolysiloxane), length 30 m, internal diameter 0.25 mm, film thickness 0.25 µm. Carrier gas He: flow-rate 1.2 ml/min. GC oven program: 170 °C for 1 min, followed by heating up to 190 °C at rate 8 °C/min, then heating up to 293 °C at a rate of 18 °C/min, hold for 7.1 min, then heating at 50 °C/min up to 325 °C and finally 6.1 min isothermal. MSD source EI = 70 eV. GC-MS transfer line T= 235°C, source and quadropole temperatures 280°C and 180°C, respectively. Scan range m/z scan range: from 50 (30 until 6 min.) to 550 (300 until 6 min) amu.

2. HPLC-TOF (Agilent): 6230B TOF with Agilent 1260 Infinity HPLC with binary pump, column: Zorbax Eclipse XDB-C18, 50 x 4.6 mm, 1.8 micron. Mobile phases (A) 0.1% formic acid and 1mM ammonium formate in water; (B) 0.1% formic acid in methanol (B). Gradient: starting at 5% B, changing to 40% B over 4 min, then to 70% over 2 min and in 5 min to 100%, hold 1 min and back to 5%, equilibration for 1.7 min. The flow rate: 1.0 ml/min; Injection volume 1 µl. MS parameters: 2GHz, Extended Dynamic range mode to a maximum of 1700 amu, acquisition rate 1.30 spectra/sec. Sample ionisation: by Agilent Jet Stream technology (Dual AJS ESI). Ion source: positive ion scan mode with mass scanning from 82 to 1000 amu. Other TOF parameters: drying gas (N2) and sheath temperature 325 °C; drying gas flow rate 6 l/min; sheath gas flow rate 8 l/min; nebulizer 25 psig; Vcap. 4000 V; nozzle 2000 V; skimmer 65 V; fragmentor 175 V and Octopole RF 750 V.

3. FTIR-ATR (Perkin Elmer): scan range 4000-400 cm⁻¹; resolution 4cm⁻¹

4. GC- (MS)-IR condensed phase (GC-MS (Agilent) & IR (Spectra analyses-Danny)

GC-method: Injection volume 1 µl and split mode (1:5). Injector temperature 280 °C. Chromatographic separation as above **(1)**. Split MS : IR = 1: 9.

MSD source EI = 70 eV. GC-MS transfer line T= 235°C, source and quadropole temperatures 280°C and 180°C, respectively. Scan range m/z scan range: from 50 (30 until 6 min.) to 550 (300) amu.

IR (condensed (solid) phase): IR scan range 4000 to 650, resolution 4 cm⁻¹.

5. IC (anions) (Thermo Scientific, Dionex ICS 2100), Column: IonPac AS19, 2 x 250mm; Eluent: 10mM KOH from 0 to 10 min, 10-58 mM from 10 to 40min; Flow rate: 0.25 ml/min; Temperature: 30°C; Suppressor: AERS 500 2mm, suppressor current 13mA; Inj. Volume: 25 µl

Supporting information


Solubility in	result/remark
CH ₂ Cl ₂	
MeOH	
H ₂ O	

Analytical technique:	applied	remarks
GC-MS (EI ionization)	+	NFL GC-RT (min): 12,3 BP(1): 232; BP(2): 233,BP(3) :144,
HPLC-TOF	+	Exact mass (theoretical): 390,23; measured value Δppm:-1,55; formula:C22H31FN2O3
FTIR-ATR	+	direct measurement (sample as received)
FTIR (solid phase) always as base form	+	
IC (anions)	+	
NMR (in FKKT)	+	
validation		
other		


ANALYTICAL RESULTS

MS (EI)


Abundance



FTIR-ATR - direct measurement (sample as received)



IR (solid phase – after chromatographic separation)



TOF REPORT


Data File	5F-EDMB-PICA_2191-20.d	Sample Name	ID-2191-20
Sample Type	Sample	Position	P2-A8
Instrument Name	6230B TOF LC-MS	User Name	
Acq Method	general-15_01_2020-XDB-C18-ESI+.m	Acquired Time	9/2/2020 9:20:41 PM
IRM Calibration Status	Success	DA Method	a-Drugs_NFL.m
Comment			

Compound Table


Label	Compound Name	MFG Formula	Obs. RT	Obs. Mass
Cpd 5: 5F-EDMB-PICA	5F-EDMB-PICA	C22 H31 F N2 O3	9.3	390.2325

Name	Obs. m/z	Obs. RT	Obs. Mass	DB RT	DB Formula	DB Mass	DB Mass Error (ppm)
5F-EDMB-PICA	781.4715	9.3	390.2325	9.3	C22 H31 F N2 O3	390.2319	-1.55


Compound Chromatograms



MFE MS Zoomed Spectrum



MS Zoomed Spectrum



MS Spectrum Peak List


Obs. m/z	Charge	Abund	Formula	Ion/Isotope
391.2397	1	22960606	C22 H31 F N2 O3	(M+H)+
392.2432	1	5843807.58	C22 H31 F N2 O3	(M+H)+
393.2462	1	838563.25	C22 H31 F N2 O3	(M+H)+
413.2222	1	902411.13	C22 H31 F N2 O3	(M+Na)+
781.4715	1	25666870	C22 H31 F N2 O3	(2M+H)+
782.4745	1	13590289.13	C22 H31 F N2 O3	(2M+H)+
783.4777	1	3873312.64	C22 H31 F N2 O3	(2M+H)+
803.454	1	5461534		(2M+Na)+
804.4562	1	2769598.35		(2M+Na)+
805.46	1	772083.83		(2M+Na)+

--- End Of Report ---

Peak Integration Report

Sample Name:	2191_IC	Inj. Vol.:	25,00
Injection Type:	Unknown	Dilution Factor:	1,0000
Program:	ANIONI	Operator:	kemija
Inj. Date / Time:	02-sep-2020 / 16:23	Run Time:	43,00


No.	Time min	Peak Name	Peak Type	Area $\mu\text{S} \cdot \text{min}$	Height μS	Amount n.a.
TOTAL:				0,00	0,00	0,0




University
of Ljubljana
Faculty of Chemistry
and Chemical Technology



R E P O R T

Contract No.	C1714-19-460155 (Republic of Slovenia, Ministry of the Interior, POLICE)
Sample ID:	2191-20
Received date:	September 10, 2020
Our notebook code:	NFL-2191-20
NMR sample preparation:	20.7 mg dissolved in 0.7 mL DMSO- <i>d</i> ₆
NMR experiments:	¹ H, ¹³ C, ¹ H- ¹ H <i>gs</i> -COSY, ¹ H- ¹³ C <i>gs</i> -HSQC, ¹ H- ¹³ C <i>gs</i> -HMBC, ¹ H- ¹⁵ N <i>gs</i> -HMBC, ¹⁹ F
Proposed structure with formula, exact mass, molecular weight:	 <p>Chemical Formula: C₂₂H₃₁FN₂O₃ Exact Mass: 390,2319 Molecular Weight: 390,4994</p>
Chemical name:	ethyl 2-(1-(5-fluoropentyl)-1 <i>H</i> -indole-3-carboxamido)-3,3-dimethylbutanoate
Comments:	- Structure elucidation based on 1D and 2D NMR spectra and HRMS. - >98% purity of a sample based on ¹ H NMR spectrum.
Supporting information:	Copies of ¹ H and ¹³ C NMR spectra, ¹ H and ¹³ C FIDs.
Principal investigator:	Prof. Dr. Janez Košmrlj
Date of report:	September 14, 2020

NFL-2191-20
1H



Current Data Parameters
 NAME NFL-2191-20
 EXPNO 1
 PROCNO 1


F2 - Acquisition Parameters
 Date_ 20200913
 Time 13.15
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 32
 DS 2

SWH 10000.000 Hz
 FIDRES 0.152588 Hz
 AQ 3.2767999 sec
 RG 80.6
 DW 50.000 usec
 DE 6.50 usec
 TE 296.0 K
 D1 1.00000000 sec
 TD0 1

==== CHANNEL f1 =====
 SFO1 500.1330885 MHz
 NUC1 1H
 P1 8.70 usec
 PL1 26.00000000 W

F2 - Processing parameters
 SI 65536
 SF 500.1300048 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

NFL-2191-20
13C



Current Data Parameters
NAME NFL-2191-20
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200913
Time 13.23

INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zgpg30
TD 65536
SOLVENT DMSO
NS 3072
DS 4
SWH 29761.904 Hz
FIDRES 0.454131 Hz
AQ 1.1010048 sec
RG 2050
DE 16.800 usec
TE 296.0 K
D1 1.00000000 sec
D11 0.03000000 sec
TD0 1

==== CHANNEL f1 =====
SFO1 125.7703637 MHz
NUC1 13C
P1 8.70 usec
PLM1 122.00000000 W

==== CHANNEL f2 =====
SFO2 500.1320005 MHz
NUC2 1H
CPPPRG12 waltz16
PCPD2 80.00 usec
PLM2 26.00000000 W
PLM12 0.30046001 W
PLM13 0.15113001 W

F2 - Processing parameters
SI 32768
SF 125.7578433 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40